



## Cube Test Sand

Code: [39-0435](#)

Product Group: [Cube Test Sand](#)

50 lbs. (22.6 kg)

## Standards

ASTM C109, ASTM C349, ASTM C359, ASTM C379, ASTM C778, AASHTO T106

## Specification

Specific Gravity	2.65.
Bulk Density	93.45 PCF (1.497 gm/cc).
Grading	No. 16 sieve retains 0%. No. 30 sieve retains 2%. No. 40 sieve retains 30%. No. 50 sieve retains 75%. No. 100 sieve retains 98%.
Weight	Net 50 lbs. (22 .7 kg).