



## Mechanical Dial Indicator - 1.0" Range Counter Clockwise Movement

Code: [88-4120](#)

Product Group: [Mechanical Dial Indicators](#),  
[Pneumatic Consolidation Apparatus](#), [Table Top Consolidation Apparatus](#)

### Specification

Range	1.0"
Divisions	0.001"
Movement	Counter-clockwise
Face Diameter	2-1/4"
Contact Point	Immediate response, up or down; tip movement magnified to indicator hand with minimal friction; 3/16" (5 mm) radius x 1/4" (6 mm) l.
Dials	With continuous graduations and revolution counters.
Measure Movement	Measure movement away from dial case; pointer at zero with stem retracted.
Weight	Net 12 oz. (340 g).

### Accessories



#### 1" Extension Point

Code: [88-4154](#)



#### 1/2" Extension Point

Code: [88-4152](#)



## 1/4" Extension Point

Code: 88-4150



## 3" Extension Point

Code: 88-4156



## Electronic Digital Indicator, 0.600"/15 mm range

Code: 88-4210



## Mechanical Dial Indicator - 0.4" Range

Code: 88-4070



## Mechanical Dial Indicator - 10 mm Range

Code: 88-4080



## Mechanical Dial Indicator - 25 mm Range Counter Clockwise Movement

Code: [88-4130](#)

---

### Alternatives



#### 1" Extension Point

Code: [88-4154](#)

---



#### 1/2" Extension Point

Code: [88-4152](#)

---



#### 1/4" Extension Point

Code: [88-4150](#)

---



#### 3" Extension Point

Code: [88-4156](#)

---



## Electronic Digital Indicator, 0.600"/15 mm range

Code: 88-4210



## Mechanical Dial Indicator - 0.4" Range

Code: 88-4070



## Mechanical Dial Indicator - 10 mm Range

Code: 88-4080



## Mechanical Dial Indicator - 25 mm Range Counter Clockwise Movement

Code: 88-4130