



Electronic Digital Indicator, 1.0"/25.4 mm range

Code: 88-4220

Product Group: Digital Tritest 50 Load Frame, Table Top Consolidation Apparatus, Electronic Digital Indicator, Pneumatic Consolidation Apparatus, Tripod Attachment

Resolution of 0.0001" (0.002 mm)

Accessories



AC Adaptor for Electronic Digital Indicators

Code: 88-4270/02



Dial Indicator - 1.0" Range

Code: 88-4100



Electronic Digital Indicator, 0.600"/15 mm range

Code: 88-4210



Mechanical Dial Indicator - 0.4" Range

Code: [88-4070](#)



Mechanical Dial Indicator - 1.0" Range Counter Clockwise Movement

Code: [88-4120](#)



Mechanical Dial Indicator - 10 mm Range

Code: [88-4080](#)



Mechanical Dial Indicator - 25 mm Range Clockwise Movement

Code: [88-4110](#)



Mechanical Dial Indicator - 25 mm Range Counter Clockwise Movement

Code: [88-4130](#)



Unconfined Compression Assembly Only

Code: [25-3999](#)

Spares/Consumables



Electronic Digital Indicator, 0.250"/6.35 mm range


Code: [88-4200](#)

Alternatives



Dial Gauge 25mm Travel X 0.01mm Divisions

Code: [25-4210](#)



Pneumatic Consolidation Apparatus

Code: [25-0560](#)



Swell Plate

Code: [24-9260](#)



Swell Stand

Code: [24-9262](#)



Versa-Loader

Code: 25-3525/02