



## Rotatest 1500

Code: [45-3810/01](#)

Product Group: [Asphalt Centrifuge Extractors](#)

Centrifuge extractor used to determine the quantitative amount of bitumen in bituminous paving mixtures. Variable speed control from 0 to 3600 rpm through the front panel mounted control knob and brake control included for rapid deceleration.

Precision machined aluminium removable cover with integral cup for adding solvent, with sealed cast aluminium housing. Centrifuge extractor used to determine the quantitative amount of bitumen in bituminous paving mixtures. Variable speed control from 0 to 3600 rpm through the front panel mounted control knob and brake control included for rapid deceleration.

Precision machined aluminium removable cover with integral cup for adding solvent, with sealed cast aluminium housing.

## Standards

EN 12697-1, ASTM D2172, AASHTO T164

## Further Information

**\*\*NOT AVAILABLE FOR SALE IN THE USA\*\***

1500 g capacity. Supplied with 100 Filter Discs. For 220 V AC, 50 - 60 Hz, 1ph.

## Accessories



### Bowl - 2.5 litre

Code: [81-5020](#)



## Desiccator - Non-vacuum

Code: [82-2100](#)

---



## Evaporating Dish - 100 x 40 mm

Code: [82-1970](#)

---



## Filter Discs Pack of 100

Code: [45-3803](#)

---



## Hotplate

Code: [78-2950/01](#)

---



## Measuring Cylinder - Glass 100 ml

Code: [82-0380](#)

---



## Measuring Cylinder - Glass 1000 ml

Code: 82-0500

---



## Sample Tray - 306 x 306 x 38 mm

Code: 81-4020

---



## Silica Gel

Code: 82-7091

---



## Volumetric Flask - 100 ml

Code: 82-1000

---



## Volumetric Flask - 1000 ml

Code: 82-1060

---

## Spares/Consumables



## Replacement bowl for Rotatest 1500 centrifuge extractor

Code: [45-3810/10](#)

---

### Alternatives



#### Muffle Furnace

Code: [83-4170/01](#)



#### Rotatest 3000

Code: [45-3815/01](#)