



Portable Dynamic Cone Penetrometer/Auger Set

Code: [29-5500](#)

Product Group: [Portable Dynamic Cone Penetrometer/Auger Set](#)

Consists of sliding drive hammer assembly, cone penetrometer point attached to a 12" (305 mm) rod, four 30" (762 mm) "E" drill rod extensions, Tee Handle, auger head and 4 auger extensions

Specification

Auger Head	3-1/4" (82.6 mm) bucket diam. 4" (102 mm) blade diam.
Tee Handle	3/4" (19 mm) diam. rod; 36" (914 mm) long.
Extensions	Four 36" (914 mm) hand auger extensions.
Slide Hammer	15 lb. circular disc with 20" (508 mm) free fall.
Hammer Extensions	Four 30" (762 mm) E Drill rods.
Penetrometer Cone	30°.
Weight	Net 78 lbs. (35.4 kg).

Accessories



3" Drive Tube Assembly

Code: [29-5510](#)



3" Plastic End Cap

Code: [29-5510/11](#)



3" Sample Tube

Code: [29-5510/10](#)

Spares/Consumables



3-1/4" Auger Head

Code: [23-1400/10](#)



30" Drill Rod with Extensions

Code: [29-5500/12](#)



Auger Extensions 36"

Code: [23-1400/12](#)



Cone Penetrometer Point

Code: [29-5500/11](#)



Connector Pin

Code: [23-1400/13](#)



Sliding Drive Hammer Assembly

Code: [29-5500/10](#)



Tee Handle

Code: [23-1400/11](#)

Alternatives



Portable Dynamic Cone Penetrometer

Code: [29-5505](#)